



Brom-Pap Capsules

Anti-Inflammatory and Digestive Aid

DESCRIPTION

Brom-Pap Capsules, available exclusively from Medical Wellness Associates, are used in the treatment of upper respiratory conditions when taken on an empty stomach because they are very effective in strengthening the blood vessels and decreasing pain and inflammation.

When taken immediately after meals, Brom-Pap Capsules may be used as a digestive aid.

FUNCTIONS

Bromelain and Papain are Papaya Enzymes. Bromelain is derived from the pineapple stem, while Papain is derived from the fruit of the pineapple. Bromelain and Papain are useful for treating bronchial and pneumonia symptoms. As Brom-Pap Capsules contain both Bromelain and Papain, when taken between meals, on an empty stomach, they exert an anti-inflammatory effect on swollen sinus or joint tissue.

In addition, Papaya Enzymes that are derived from the pineapple fruit provide Protease activity if taken after eating. This activity is largely responsible for keeping the small intestine free from parasites (including yeast, protozoa, and intestinal worms). A lack of proteases greatly increases the risk of intestinal infection, including overgrowth of the yeast *Candida Albicans*.

Brom-Pap Capsules provide 12,000 USP units of Protease activity. If taken immediately after

eating, Brom-Pap Capsules are an effective digestive aid.

INDICATIONS

Brom-Pap Capsules have been proven to be very effective in treating upper respiratory infections. They are helpful in strengthening blood vessels and decreasing joint pain and are also a helpful digestive aid.

FORMULA

Each capsule of Brom-Pap Capsules contains:
Papaya Enzymes (fruit).....10 mg.
Providing 12,000 USP Units of Protease activity

Bromelain (pineapple stem).....100 mg.
Other ingredients: Cellulose, gelatin, vegetable stearate, and silica.

SUGGESTED USE

If Brom-Pap Capsules are being taken for treating bronchial or pneumonia symptoms, or sinus inflammation, adults should take one or more capsules daily between meals, on an empty stomach or as directed by a physician.

If Brom-Pap Capsules are being taken as a digestive aid, adults should take one or more capsules immediately after eating or as directed by a physician.

SIDE EFFECTS

No adverse side effects have been reported.

(continue on reverse)

HOW SUPPLIED

Brom-Pap Capsules are supplied in bottles of 100 capsules.

STORAGE

For optimal storage conditions store in a cool, dry place or refrigerate. Keep out of reach of children.

REFERENCES

Gallagher, Dr. Martin P., *Dr. Gallagher's Guide to 21st Century Medicine*, Atlas Publishing, 1997. P. 405

Murray, N.D., Michael T., *Encyclopedia of Nutritional Supplements*, Prima Publishing, 1997.

**These statements have not been evaluated by the Food and Drug Administration.
This product is not intended to diagnose, treat, cure, or prevent any disease.**

**Medical Wellness Associates
6402 Route 30
Jeannette, Pa 15644
1-800-834-4325
www.vitamincoach.com**